
DG General Marine Cleaner



Update: 21. 02. 2022 Version EN: 2.0;



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier DG General Marine Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Water based general purpose cleaner and degreaser. Concentrate.

Uses advised against: no information available

1.3. Details of the supplier of the safety data sheet

Duo Ghibli ul. Światowida 6 71-726 Szczecin

Phone: +48 606 362 590

E-mail address of the person responsible for data sheet: biuro@dgpc.pl

1.4. Emergency telephone number

112 (general emergency telephone number), 998 (fire-brigade), 999 (ambulance);

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acc. to 1272/2008 Skin Corr. 1B; H314 Eye Dam. 1; H318

Human health dangers:

Causes severe skin burns and eye damage

Environmental hazards:

None

Physic-chemical hazards:

None.

2.2. Label elements

Contain: Potassium hydroxide (CAS: 1310-58-3)

Pictograms:



Signal Word: Danger **Hazard Statement**:

H314 - Causes severe skin burns and eye damage

Precautionary Statement:

P280 – Wear protective gloves/protective clothing/eye protection/face protection **P301+P310** – IF SWALLOWED: Immediately call a POISON CENTER/doctor

P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

P405 - Store locked up.

According to Regulation (EC) No 648/2004

Contains: <5% amfoteric surfactants, EDTA and salts thereof, NTA (nitrilotriacetic acid) and salts thereof

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

2.3. Other hazards

Annex XIII - Criteria for the identification of Persistent, Bioaccumulative and Toxic substances (BBT), and very Persistent and very Bioaccumulative substances (vPvB) - not applicable

Substances with endocrine disrupting properties (in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605) – not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Hazardous components:

Substance name	contains %	Hazard Class and Category Code(s)	Hazard Statement Code(s) Suppl. Hazard statement Code(s)	- Specific Conc. Limits, - M-factors - ATEs
2-butoxyethanol * CAS No. 111-76-2 EC No.: 203-905-0 Index No.: 603-014-00-0 REACH No.: 01-2119475108-36-XXXX	7	Acute Tox. 4 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2	H302 H332 H315 H319	ATE oral: 1200mg/kg
Alkilodimethylamine oxide CAS No.: 70592-80-2 EC No.: 274-687-2 Index No.: - REACH No.: -	1	Skin Irrit.2 Eye Dam.1	H315 H318	-
Potassium hydroxide* CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8 REACH No.: 01-2119487136-33-XXXX	< 5	Skin Corr. 1A Acute Tox.4	H314 H302	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %
Tetrasodium ethylene diamine tetraacetate CAS No.: 64-02-8 EC No.: 200-573-9 Index No.: 607-428-00-2 REACH No.: 01-2119486762-27-XXXX	2	Acute Tox.4 Eye Dam.1	H302 H318	-
Trisodium nitrilotriacetate* CAS No.: 5064-31-3 EC No.: 225-768-6 Index No.: 607-620-00-6 REACH No.: 01-2119519239-36-XXXX	<1	Carc. 2 Acute Tox.4 Eye Irrit.2	H351 H302 H319	Carc. 2; H351: C ≥ 5 %

Full text of H-phrases in Section 16

DG General Marine Cleaner

according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

*Substance for which workplace exposure limits are available



SECTION 4: First aid measures

4.1. Description of first aid measures

Skin contact:

Remove contaminated clothing, wash affected skin with soap and water, rinse thoroughly with water, in case of irritation, consult a doctor.

Eye contact:

Rinse for several minutes (about 15) with plenty of water, holding eyelids apart. Avoid strong stream, due to the risk of corneal damage, contact your doctor.

Inhalation:

In the event of dizziness or nausea, remove casualty to fresh air, if symptoms persist, obtain medical advice.

Ingestion:

Do not induce vomiting, rinse your mouth with water, immediately contact your doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Respiratory: May cause respiratory irritation, cough, shortness of breath, difficulty breathing.

Gastrointestinal tract: Ingestion may cause irritation of the mucous membranes of mouth, gastrointestinal tract, abdominal pain, stomach cramps, nausea, vomiting, diarrhea, headaches and dizziness - symptoms of food poisoning

4.3. Indication of any immediate medical attention and special treatment needed

The decision about how to conduct the physician.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: foam, dry powder extinguishers, CO₂, water spray. Use appropriate extinguishing method for conditions.

Unsuitable extinguishing media: Water with full jet

5.2. Special hazards arising from the substance or mixture

During a fire, high temperature, release toxic decomposition products (carbon oxides).

5.3. Advice for firefighters

Cool containers with water spray, if possible remove from the danger zone. In the event of a fire in a confined space should wear protective clothing and breathing apparatus with compressed air. Do not allow fire-fighting water run-off into surface water, groundwater and sewer.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Notify the appropriate service. Reduce access to the area of failure until the relevant cleaning operations have been completed. Avoid contact with the released product.

For emergency responders: Ensure adequate ventilation. Use personal protective equipment (according to section 8). Do not breathe vapors.

6.2. Environmental precautions

Prevent from spreading or escaping into drains and reservoirs. Inform local authorities if you fail to provide protection.

6.3. Methods and material for containment and cleaning up

Prevent leakage and absorb with inert, absorbent material (such as sand, earth, vermiculite, diatomaceous earth, etc.). The contaminated material is placed in properly labeled containers for disposal in accordance with applicable regulations.

page: 3 of 13

DG General Marine Cleaner

according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;



6.4. Reference to other sections

Disposal considerations – see section 13. Personal precautions – see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use in well ventilated area. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid breathing vapors. Avoid sources of ignition, heat, hot surfaces and open flames. Work in accordance with the principles of safety and hygiene: Do not eat, drink and smoke at work, wash your hands after use, remove contaminated clothing and protective equipment before entering places for meals. Follow the instructions provided on the label and instructions for use.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool (storage temperature to 20°C), dry, well ventilated place in properly labeled and tightly closed original container. Avoid direct sunlight and heat sources, hot surfaces and open flames.

7.3. Specific end use(s)

See section 1.2. - no additional recommendations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

Substance	2-Butoxyethan	ol				
CAS No.	111-76-2					
	Limit value - Eig	ht hours	Limit value - Sho	rt term		
	ppm	mg/m³	ppm	mg/m³		
Australia	20	96,9	50	242		
Austria	20	98	40	200		
Belgium	20	98	50 (1)	246 (1)		
Canada - Ontario	20					
Canada - Québec	20	97				
Denmark	20 (1)	98 (1)	40 (1)(2)	196 (1)(2)		
European Union	20	98	50 (1)	246 (1)		
Finland	20	98	50 (1)	250 (1)		
France	10	49	50 (1)	246 (1)		
Germany (AGS)	10 (1)	49 (1)	20 (1)(2)	98 (1)(2)		
Germany (DFG)	10 (1)(2)	49 (2)	20 (1)(2)(3)	98 (2)(3)		
Hungary		98		246		
Ireland	20	98	50 (1)	246 (1)		
Israel	20	97				
Italy	20 (1)	98 (1)	50 (1)(2)	246 (1)(2)		
Japan (MHLW)	25					
Japan (JSOH)	20 (1)(2)	97 (1)(2)				
Latvia	20	98	50 (1)	246 (1)		
New Zealand	25	121				

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878 $\mbox{\bf Update: 21.~02.~2022}$

Version EN: 2.0;

Norway	10 (1)	50 (1)				
Poland		98		200		
Romania	20	98	50 (1)	246 (1)		
Singapore	25	121				
South Korea	20	97				
Spain	20 (1)	98 (1)	50 (1)(2)	245 (1)(2)		
Sweden	10	50	50 (1)	246 (1)		
Switzerland	10	49	20	98		
The Netherlands		100		246		
Turkey	20	98	50 (1)	246 (1)		
USA - NIOSH	5	24				
USA - OSHA	50	240				
United Kingdom	25	123	50	246		
	Remarks		•			
Belgium		n important part of the	rption of the agent through e total exposure. It can be t utes average value			
Denmark	(1) Skin (2) 15 minutes a	average value	<u> </u>			
European Union	(1) 15 minutes average (for references see biblio		ative Occupational Exposu	re Limit Value (IOELV) ~		
Finland	(1) 15 minutes average	value				
France	Bold type: Restrictive sta	atutory limit values Sk	in (1) 15 minutes average	value		
Germany (AGS)	(1) Skin (2) 15 minutes a	average value				
Germany (DFG)	(1) MAK value applies for Butoxyethylacetate in air		entrations of 2-Butoxyetha tes average value	nol and 2-		
Ireland	(1) 15 minutes reference	e period				
Italy	(1) Skin (2) 15 minutes a	average value				
Japan (JSOH)	(1) Exposure concentrat	ions must be kept be	ow this level. (2) Skin			
Latvia	(1) 15 minutes average	value				
Norway	(1) Skin					
Romania	(1) 15 minutes average value					
Spain	(1) Skin (2) 15 minutes average value					
Sweden	(1) 15 minutes average value					
Turkey	(1) 15 minutes average	value				

Substance	Potassium h	Potassium hydroxide					
CAS No.	1310-58-3	1310-58-3					
	Limit value - E	Limit value - Eight hours Limit value - Short term					
	ppm	ppm mg/m³		mg/m³			
Australia				2 (1)			
Austria		2 inhalable aerosol					
Belgium				2 (1)(2)			

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878 $\mbox{\bf Update: 21.~02.~2022}$

Version EN: 2.0;

Canada - Ontario		2 (1)				
Canada - Québec		2 (1)				
Denmark	2	2 (1)(2)				
Finland		2 (1)				
France		2				
Hungary	2	2				
Ireland		2 (1)				
Japan (JSOH)	2 (1)					
New Zealand		2 (1)				
Norway		2 (1)				
People's Republic of China		2 (1)				
Poland	0,5	1				
Singapore		2				
South Korea		2 (1)				
Spain	2					
Sweden	1	2 (1)				
Switzerland	2 inhalable aerosol					
USA - NIOSH		2 (1)				
United Kingdom		2				
-	Remarks					
Australia	(1) Ceiling limit value					
Belgium	(1) Additional indication "M" means that irritation or there is a risk of acute poisoning. The work pro exposure never exceeds the limit value. For evalu possible. However, the sampled period shall be lo measured result shall be related to the considered	cess must be designed in such a way that the lation, the sampled period should be as short as lang enough to perform a reliable measurement. The				
Canada - Ontario	(1) Ceiling limit value					
Canada - Québec	(1) Ceiling limit value					
Denmark	(1) Skin (2) Ceiling limit value					
Finland	(1) Ceiling limit value					
Ireland	15 minutes reference period					
Japan (JSOH)	(1) Occupational exposure limit ceiling: Reference value to the maximal exposure concentration of the substance during a working day					
New Zealand	(1) Ceiling limit value					
Norway	(1) Ceiling limit value					
People's Republic of China	(1) Ceiling limit value					
South Korea	(1) Ceiling limit value					
Sweden	(1) 15 minutes average value					
USA - NIOSH	(1) Ceiling limit value					

Substance	Nitrilotriacetic acid and its sodium salts
CAS No.	139-13-9

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

Remarks	18994-66-6 15467-20-6 23255-03-0 5064-31-3 18662-53-8 as acid					
	Limit value - Eig	ht hours	Limit value - S	Limit value - Short term		
	ppm	mg/m³	ppm	mg/m³		
Germany (AGS)		2 (1)(2)		8 (1)(2)(3)		
Germany (DFG)		2		8 (1)		
	Remarks	Remarks				
Germany (AGS)		(1) Inhalable fraction (2) Avoid mixed exposures to iron compounds (formation of Fe-NTA) (3) 15 minutes average value				
Germany (DFG)	(1) 15 minutes av	erage value				

2-Butoxyethanol

DNEL Industrial, inhalation, long-term, systemic: 98mg/m³
DNEL Industrial, inhalation, short-term, systemic: 1091mg/m³
DNEL Industrial, inhalation, short-term, local: 246mg/m³
DNEL consumer, inhalation, long-term, systemic: 59mg/m³
DNEL consumer, inhalation, short-term, systemic: 426mg/m³
DNEL consumer, inhalation, short-term, local: 147mg/m³
DNEL consumer, oral, long-term, systemic: 6,3mg/kg/d
DNEL consumer, oral, short-term, systemic: 26,7mg/kg/d

PNEC fresh water: 8,8mg/l PNEC marine water: 0,88mg/l

PNEC sediment fresh water: 34,6mg/kg PNEC sediment marine water: 3,46mg/kg

PNEC sporadic release: 26,4mg/l

PNEC STP: 463mg/l PNEC soil: 2,33mg/kg PNEC, oral: 0,02g/kg

8.2. Exposure controls Engineering controls:

General ventilation is recommended.

Observe occupational health and safety.

Wash hands during breaks and after working with the product.

Do not eat, drink or smoke while handling the product.

Take off contaminated clothing and wash it before reuse.

Individual protection measures, such as personal protective equipment:

Personal protective equipment should be selected according to the hazards present at the workplace, taking into account Regulation (EU) 2016/425 of the European Parliament and of the Council and in accordance with the relevant CEN standards.

Eye protection:

Use safety glasses (according to EN 166)

Skin protection:

Hands:

Use hand protection chosen according to working conditions (latex, nitrile rubber: PVC), should meet the requirements of the standard EN374.

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

The selection of suitable gloves does not only depend on the material, but also on the brand and quality resulting from differences in manufacturers. Resistance of the material, the glove can be determined after the tests. The exact time of the destruction of the protective gloves must be determined by the manufacturer.

Wear protective clothing working - wash regularly.

Respiratory Protection:

Avoid inhalation of vapors.

Thermal hazards:

Not applicable.

Environmental exposure controls:

Prevent the spread in the environment and enter drains and watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

a)	Physical state	Liquid
b)	Colour	Yellow
c)	Odour	Orange
d)	Melting point/freezing point (Does not apply to gases)	No date available
e)	Boiling point or initial boiling point and boiling range	No date available
f)	Flammability (Applies to gases, liquids and solids)	Not flammable
g)	Lower and upper explosion limit (Do not apply to solids)	No date available
h)	Flash point (Does not apply to gases, aerosols and solids)	No date available
i)	Auto-ignition temperature (Only applies to gases and liquids)	Not self-igniting
j)	Decomposition temperature (Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose)	Not applicable
k)	pH (Does not apply to gases)	13,5
l)	Kinematic viscosity (Only applies to liquids)	No date available
m)	Solubility	Soluble in water
n)	Partition coefficient n-octanol/water (log value)	Not applicable - mixture
0)	Vapour pressure	No date available

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

p)	Density and/or relative density (Only apply to liquids and solids)	1,20 g/cm ³
q)	Relative vapour density (Only applies to gases and liquids)	No date available
r)	Particle characteristics (Only apply to solids)	Not applicable

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions of use, storage and transport.

10.3. Possibility of hazardous reactions

Exothermically reacts with acids.

10.4. Conditions to avoid

Avoid direct sunlight, heat, open flames, hot surfaces.

10.5. Incompatible materials

Strong acids, strong oxidizing agents, light metals.

10.6 Hazardous decomposition product

No decomposition under recommended conditions of use and storage.

Toxic decomposition products – see Sectoin 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

a)	Acute toxicity	Based on the available data, the classification criteria are not met
b)	Skin corrosion/irritation	Causes severe skin burns and eye damage.
c)	Serious eye damage/irritation	Causes serious eye damage.
d)	Respiratory or skin sensitization	Based on the available data, the classification criteria are not met
e)	Germ cell mutagenicity	Based on the available data, the classification criteria are not met
f)	Carcinogenicity	Based on the available data, the classification criteria are not met
g)	Reproductive toxicity	Based on the available data, the classification criteria are not met
h)	STOT-single exposure	Based on the available data, the classification criteria are not met

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

i)	STOT-repeated exposure	Based on the available data, the classification criteria are not met
j)	Aspiration hazard	Based on the available data, the classification criteria are not met

2-Butoxyethanol

ATE oral: 1200mg/kg

ATE inhalation: 11mg/l, 4h (vapour)

Potassium hydroxide LD50 (oral, rat) 273 mg/kg Trisodium nitrilotriacetate

LD50 (oral, rat): 1000-2000 mg/kg <u>Alkilodimethylamine oxide:</u> LD50 (oral, rat): >2000 mg/kg

11.2. Information on other hazards Endocrine disrupting properties

None.

SECTION 12: Ecological information

12.1.Toxicity

Mixture is not classified as dangerous for environmental.

Prevent the spread in the environment and enter drains and watercourses.

2-Butoxyethanol

LC50 fish (Oncorhynchus mykiss): >100mg/l, 96h NOEC fish (Danio rerio): >100mg/l, 21days EC50 Daphnia magna: >100mg/l, 48h NOEC Daphnia magna: 100mg/l, 21 days

EC50 algae (Pseudokirchneriella subcapitata): >100mg/l, 72h EC10 algae (Pseudokirchneriella subcapitata): 88mg/l, 72h

12.2. Persistence and degradability

For mixture: no information available

The surfactants contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) 648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

12.3. Bioaccumulative potential

For mixture: no information available

2-Butoxyethanol

Easily biodegradable: >60% in 28 days.

12.4. Mobility in soil

For mixture: no information available

12.5. Results of PBT and vPvB assessment

Mixture has no substances that meet the criteria for classification as PBT or vPvB in accordance with Annex XIII of REACH.

12.6. Endocrine disrupting properties

Mixture has no substances with endocrine disrupting properties.

12.7. Other adverse effects

No information available.

page: 10 of 13

DG General Marine Cleaner

according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;



SECTION 13: Disposal considerations

13.1. Waste treatment methods

<u>Recommendations for the product:</u> Dispose of in accordance with local regulations. Store in original containers. Waste code should be given at the place of manufacture.

Recommendations for used packaging: Recycle / recycle / dispose of packaging waste in accordance with applicable regulations. Only fully emptied packaging can be recycled.

Directive 2008/98/EC Of The European Parliament And Of The Council of 19 November 2008 on waste and repealing certain Directives as amended

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1. UN number	1814	1814	1814	1814
14.2. UN proper shipping name	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution
14.3. Transport hazard class(es)	8 Label: 8	8 Label: 8	8 Label: 8	8 Label: 8
14.4. Packing group	III	III	Ш	Ш
14.5. Environmental hazards	No	No	No	No
14.6 Special precautions for user	Classification code: C1 LQ: 5L Transport category: 3 Tunnel restriction code: E Hazard identification number: 80	-	EmS: F-A, S-B Category A LQ: 5L	-
14.7. Maritime transport in bulk according to IMO instruments	No date available	No date available	No date available	No date available

SECTION 15: Regulatory information


15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU REGULATIONS:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a

page: 11 of 13

DG General Marine Cleaner



Update: 21. 02. 2022 Version EN: 2.0;



European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

- Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006
 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and
 Restriction of Chemicals (REACH)
- 3. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.
- 4. Regulation (EU) 2016/425 of The European Parliament and of The Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
- 5. Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work
- Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational
 exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC
 and 2000/39/EC
- Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational
 exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive
 2000/39/EC
- Commission Directive (EU) 2017/164 of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
- Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
- 10. Directive 2008/98/EC Of The European Parliament And Of The Council of 19 November 2008 on waste and repealing certain Directives as amended
- 11. European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended

15.2. Chemical safety assessment

No chemical safety assessments for the mixture.

- List of substances subject to authorization (REACH; Annex XIV): not applicable
- Candidate list of SVHCs: not applicable
- Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (REACH; Annex XVII): not applicable

SECTION 16: Other information

Abbreviations and acronyms, list of hazard statements used in the safety data sheet:

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 – Causes skin irritation

H318 - Causes serious eye damage

H319 – Causes serious eye irritation

H332 - Harmful if inhaled.

H351 – Suspected of causing cancer

Acute Tox.4 - Acute toxicity cat. 4

Carc. 2 - Carcinogenicity cat. 2

Skin Corr. 1A - Skin corrosion cat. 1A

Skin Corr. 1B - Skin corrosion cat. 1B

Skin Irrit. 2 - Skin irritation cat. 2

Eye Dam. 1 – Serious eye damage cat. 1

Eye Irrit.2 – Eye irritation cat. 2 **DNEL** – derived no-effect level

page: 12 of 13

DG General Marine Cleaner



according to Regulation (EC) No. 1907/2006, 2020/878

Update: 21. 02. 2022 Version EN: 2.0;

PNEC – predicted no effect concentration

ATE - estimated acute toxicity

LD50 – lethal dose, 50%

LC50 – lethal concentration, 50%

EC50 - effective concentration, 50%

NOEC - no observed effects concentration

PBT – Persistent, Bioaccumulative and Toxic

vPvB - very Persistent and very Bioaccumulative

ADR - International Carriage of Dangerous Goods by Road

RID – International Carriage of Dangerous Goods by Rail

IMDG - International Maritime Dangerous Goods

ICAO - Safe Transport of Dangerous Goods by Air

Training:

Before working with the product is recommended safety training of employees in connection with the occurrence of workplace chemicals. Documentation should be prepared and employees should be familiarized with the results of risk assessment in the workplace associated with the presence of chemical agents.

Classification procedure:

Skin Corr. 1B; H314	Based on the content of the ingredients (calculation method)
Eye Dam. 1; H318	Based on the content of the ingredients (calculation method)

Changes to the previous version

Section	Changes
Section 2, 3, 9, 11, 12, 14	Change in accordance with Reg. 2020/878
Section 15	Change of regulations

RESOURCES

Annex to Regulation (EU) 2020/878. Current legislation (Section 15).

Information Agency for Chemical Substances.

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by producer and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

page: 13 of 13