



DG Anti-Foluling Agent

Concentrated liquid antifoulant and corrosion inhibitor

Product description:

DG Anti-Foluling Agent is a liquid product designed to prevent from erosion, corrosion and growth of sealife organismus (microorganismus, plants, algae etc.) in seawater cooling systems. The product also acts as a corrosion inhibitor.

How to use:

It is recommended to clear seawater cooling system prior to start using DG Anti-Foluling Agent treatment. Dosage:

It is recommended to dose 0,5 litre of DG Anti-Foluling Agent for every 100 tons of seawater flow in cooling system per hour.

Water Flow (ton/hour)	Anti-Foluling Agent (liters/hour)
5-100	0,5
100-200	1,0
200-300	1,5
300-600	2,0

Distributor:



Hazard statements

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

H372 Causes damage to organs through prolonged or repeated exposure

H410: Very toxic to aquatic life with long-lasting effects

Precautionary statements

P260 Do not breathe dust/fumes/gas/mist/vapours/spray.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do – continue rinsing.

P310 .Immediately call a POISON CENTER/doctor

P363 Wash contaminated clothing before reuse.

P391: Collect spillag

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501: Dispose of contents/container in accordance with local regulation Keep container tightly closed.



Danger

Package available:

20 or 25 liters canister

For more information on safety and health, please refer to the Material Safety Data Sheet (MSDS) and products label.

The information contained herein relates only to the specific material designated in the title. The information given in this card is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. At all times, you must comply with the statutory laws and the rights of any third party. The MSDS does not constitute an assessment of hazards in the workplace. The product should not be used for purposes other than those pecified in Product description.

$\overline{}$					
	_		but		
_					
_		LII	Du	LUI	•