



DG Diesel R011

Liquid corrosion inhibitor for use in closed cooling and heating water systems.

Product description:

Safe, water based, biodegradable product for protection of closed heating and cooling systems. Effective protection against deposits and corrosion stone. Compatible with glycol used for frost protection. It does not contain corrosive. It does not contain phosphates. Working in a wide temperature range.

How to use:

Avoid contact of neat product with zinc and aluminium. R011 should be dosed to a suitable point in the system. If the expansion tank is used then adequate circulation must be assured.

Place the probe in a canister or pour an appropriate amount of liquid into the device. Dosage: The dosage should be set in the dependencies water hardness in the range from 5 ml / 0dH3 to 10ml / 0dH3.

Distributor:



Physical State: : Liquid
Appearance : clear, colourless
pH : 7,0
Density - 1,02 g/cm³
Water Solubility: Full

The product has not been classified
as corrosive or harmful.

Package available:
20 or 25 liters canister



Distributor:



For more information on safety and health, please refer to
the Material Safety Data Sheet (MSDS) and products label.

The information contained herein relates only to the specific material designated in the title. The information given in this card is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. At all times, you must comply with the statutory laws and the rights of any third party. The MSDS does not constitute an assessment of hazards in the workplace. The product should not be used for purposes other than those specified in Product description.