



DG Air Cooler Cleaner

Product for cleaning of Diesel Engine charge air coolers

Product description:

DG Air Cooler Cleaner is special waterbased, degreasing formula for cleaning diesel Air Coolers and Turbochargers. Product contains liquid blend of solving, cleaning and anti-corrosive agents. DG Air Cooler Cleaner cleans air side of the charge air cooler,turbo-charger and scavenging air system, by dissolving any lube-oil and fuel-oil contamination as well as contaminations entered via the air inlet. Product contains no chlorinated or aromatic hydrocarbon solvents, nonyl phenol ethoxylates or other substances harmful to the environment.

How to use:

DG ACC is suitable for all types of diesel engines. Product have to be used mixed with fresh water (10-30% of DG ACC - depending on severity of the contamination).

The following table shows amount of solution required to clean an air cooler. For proper calculation find the cross-sectional area of the cooler and use 3 litres of cleaning solution) per square metre or as table below. This is based on one injection every 24 hours.

Engine HP 20% of DG ACC mixed with fresh water

6,000 to 12,000 3 litres 12,000 to 24,000 4.5 litres 24,000 or more 6 litres

Bath Cleaning - Put parts to be cleaned into a bath of undiluted DG Air Cooler Cleaner and allow deposits to be broken (time of bathing - 3-12 hours). After cleaning, rinse the surface with a high pressure unit.

D · ·	• 1			
Dist	_	~ • • •		~ •
111				
ינוש	-	ou.	LU	

Remarks:

Density - 0,93 g/cm3 Flashpoint - None Physical state - Liquid Colour - colourless

Solubility in water: Completely soluble in water

Signal Word: Danger

Asp. Tox. 4 Contains:

Hydrocarbons C10-C13, Fatty alcohol ethoxylates

Hazard phrases

H304-May be fatal if swallowed and enters airways.

EUH066-Repeated exposure may cause skin dryness or cracking.

H412-Harmful to aquatic life with long lasting effects.

H319-Causes serious eye irritation.

Precautionary Phrases

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P261-Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P330+P331-IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310-Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing . P501-Dispose of contents/container to an authorised waste collection point.





Package available:

20 or 25 liters canister

For more information on safety and health, please refer to the Material Safety Data Sheet (MSDS) and products label.

The information contained herein relates only to the specific material designated in the title. The information given in this card is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. At all times, you must comply with the statutory laws and the rights of any third party. The MSDS does not constitute an assessment of hazards in the workplace. The product should not be used for purposes other than those pecified in Product description.



Distributor: